



webEdition
manage your content

Installationguide

Installation, Backup and Rebuild



Installation, update and backup procedures

User Guide

Standard 5.0.1
June 2007

© 2007 living-e AG
All rights reserved.

Printed in Germany

living-e AG does not extend any guarantee or warranty concerning the accuracy and correctness of any information contained in this manual. This manual may not be reproduced by any means, either electronically or mechanically, photocopied, recorded, reproduced or transferred by information storage or information retrieval systems by the purchaser, for purposes other than private use without the express written consent by living-e AG. The purchaser is authorized to make one backup copy of the software. A copy of this software can be requested from living-e AG at any time or it can be downloaded at www.living-e.de. Neither living-e AG nor suppliers of living-e AG shall be held liable for any damage (this shall include, without restriction, any damage arising from lost profits, operation breakdowns, loss of business information or data or any other financial losses), which arise from the use of this product or from the inability to use this product, even in the event that living-e AG has been informed of the possibility of such damage. In any case of damage, liability of living-e AG shall be limited to the amount you have actually paid for the product.

Microsoft Windows and Explorer are trademarks of Microsoft Corporation. Macintosh and Apple are trademarks of Apple Computer Inc. UNIX is a trademark of UNIX System Laboratories. All other trademarks are the property of their respective owners.

Contents

About this document 11

1 Introduction 15

- What documentation is available? 15
 - Installation and upgrade overview 15
 - What's next 16
-

2 Getting started 17

- What does the webEdition software package contain? 17
 - Getting started 17
 - Compatible operating systems and browsers 17
 - Installation requirements 19
 - Pre-installation checklist 20
-

3 Installing webEdition 23

- Installation overview 23
 - What will be installed? 24
 - Installing webEdition on your web server 24
 - Installation with the webEdition Installer 24
 - Manual installation process 32
 - Registration/Installation of updates and modules 34
 - Registration 34
 - Update 36
 - Installation of modules 37
 - Using a proxy server 38
 - Starting webEdition 39
 - Selecting your language 39
 - Getting help 40
-

4 Backup, recover and rebuild 41

- Backup functions 41
 - Using the Create Backup function 41
 - Using the Recover function 43
 - Rebuilding your web pages 45
 - What is the rebuild feature? 45
 - When to use the rebuild feature 45
 - How to use the rebuild feature 45
-

Index 49

List of figures

Figure 1	Software installation overview	24
Figure 2	Installer start screen	25
Figure 3	Entering a domain name	26
Figure 4	Entering FTP access parameters	26
Figure 5	Proxy Server settings	27
Figure 6	File transfer	27
Figure 7	License agreement	28
Figure 8	Entering the DOCUMENT_ROOT	29
Figure 9	Entering your MySQL access data	29
Figure 10	Installation notification	30
Figure 11	Enter username and password	30
Figure 12	Installation progress	30
Figure 13	Installation complete message	31
Figure 14	The webEdition log in screen	31
Figure 15	Manual installation notification	32
Figure 16	Manual installation, License agreement	33
Figure 17	Registering your software	34
Figure 18	Register during installation	34
Figure 19	Register during first login	34
Figure 20	Entering your software serial number	35
Figure 21	Selecting the webEdition modules to install	35
Figure 22	Requesting a backup prior to installation	36
Figure 23	Update/Module installation option	36
Figure 24	The Update/Module installation screen	37
Figure 25	The webEdition information screen: update completed	37
Figure 26	The module installation menu	38
Figure 27	Module Installation Window	38
Figure 28	Proxy server settings	39
Figure 29	Selecting your language	39
Figure 30	The Backup Export Wizard	42
Figure 31	The Recover Wizard	43
Figure 32	Recover backup process	44
Figure 33	Rebuilding a page	46
Figure 34	Documents Rebuild	46
Figure 35	Rebuilding thumbnails	47
Figure 36	Rebuild progress	48
Figure 37	Rebuild finished	48

List of procedures

- Procedure 1 Installation with the webEdition installer 25
- Procedure 2 Manual installation 32
- Procedure 3 Updating webEdition 36
- Procedure 4 Backing up your database 41
- Procedure 5 Recovering your backup files 43
- Procedure 6 Rebuilding your web pages 45

About this document

Purpose of this document

This document is designed to guide you through the webEdition installation and upgrade processes.

You can use this manual to learn:

- what you need to do or have before installing or upgrading webEdition
- how to install webEdition
- how to upgrade webEdition
- how to back up and restore your webEdition files and database

Audience

This document treats the webEdition installation process; as such it is intended for system administrators who have a basic knowledge of the following protocols and systems:

- file transfer protocol (ftp)
- hypertext markup language (http)
- PHP
- MySQL

This document also contains procedures (such as backup and restore that can be performed by

- webEdition administrators
- webEdition editors

The webEdition customer documentation suite

The documentation team publishes new webEdition documents to support the release of all webEdition features, modules and enhancements.

You can consult our documentation suite for detailed information about the modules you have purchased or about living-e products that you may wish to purchase in the future. All customer documentation is available in portable document format (PDF) on <http://www.living-e.de/en/products/webEdition/documentation.php>.

On-line reference documentation

The webEdition customer documentation suite comprises the following books, all of which you can obtain at the following URLs:

<http://www.living-e.de/en/products/webEdition/documentation.php>

Standard webEdition documentation

The following books support the webEdition Standard suite:

- *The webEdition User Guide*
- *The webEdition Installation, Update and Backup Guide*
- *The webEdition Tag Reference*

Documentation for webEdition modules

The following books support the webEdition modules:

- *The Banner Module User Guide*
- *The Customer Management and Customer Management PRO Module User Guide*
- *The Database/Object Module User Guide*
- *The Export Module User Guide*
- *The Newsletter Module User Guide*
- *The Scheduler and Scheduler PRO Module User Guide*
- *The Shop Module User Guide*
- *The Task Messaging Module User Guide*
- *The User Management and User Management PRO Module User Guide*
- *The Voting Module User Guide*
- *The Workflow Module User Guide*

What precautionary messages mean

webEdition documents include attention and caution messages, which are designed to draw your attention to important instructions.

Attention boxes

An attention box identifies information that is necessary for the proper performance of a specified task. For example:

ATTENTION

You must have the appropriate permissions in your user profile to complete this procedure. Permissions are assigned to you by your webEdition system administrator. Contact your webEdition system administrator for further details.

Caution boxes

Caution messages indicate that there are possible risks to your software or database if you perform a specified task without taking the suggested appropriate precautions. For example:

**CAUTION****Database warning**

If you complete this procedure, your database will be overwritten.

How commands, system responses and we:tags are represented

The commands, system responses and webEdition tags (called we:tags) used in this document conform to the following conventions.

Web interface commands

Commands performed through a Web browser are shown in *italic* typeface. For example:

Click on the *Save* button.

Menu-based commands performed in a Web browser are shown in *italic* typeface. Drop-down or nested menu commands are separated by an input prompt (>). For example:

Select *Customers > New* from the main menu of the Customer Management Module.

webEdition tags and template code

The webEdition templates use a specialized set of programming tags based on the PHP programming language. These webEdition tags or we:tags are displayed in *courier* typeface and in angled brackets:

Opening tags appear thus: `<we:tag/>`

Closing tags appear thus: `</we:tag>`

The programming code used in webEdition templates is also represented in this document by *courier* typeface:

```
<we:sessionStart/>
<we:ifRegisteredUser>
Hello: <we:sessionField Last name="user name" type="print"/><br>
Logged in
</we:ifRegisteredUser>
```

Attribute variables

Attributes and variables appear in *courier italic* typeface. For example:

```
<we:hidden name="attribute1">
```

How to check the document version and issue

The information on the title page of this document indicates the version and issue for this publication. The version and issue also appear in the footer on every even-numbered page.

The first two digits in the document numbering scheme indicate the version. The version number increases each time the document is updated to support a new software release. For example, the first release of a document is 01.01. In the next software release cycle, the first release of the same document is 02.01.

The second two digits in the document numbering scheme indicate the issue. The issue number increases each time the document is revised and re-released in the same software release cycle. For example, the second release of a document in the same software release cycle is 01.02.

Customer service

For further information about webEdition, please consult our website, or contact our customer service department

For International customers, please see:

- Web Page: <http://www.living-e.de/en>
- E-mail:
 - Technical support: support@living-e.de
 - Sales: sales@living-e.de
 - Information/Help: info@living-e.de

For North American customers, please see:

- Web Page: <http://www.living-e.com/>
- E-mail:
 - Technical support: support@living-e.de
 - Sales: sales@living-e.de
 - Information/Help: info@living-e.de

1 Introduction

Thank you for purchasing the webEdition content management system (CMS)! This booklet is designed to help you to familiarize yourself with the new features that are available in webEdition Version 4.0.1, and to guide you through the installation and upgrade procedures.

1.1 What documentation is available?

In addition to this *Guide*, webEdition Version 4.0.1 includes a suite of documentation that is available at the following URL:

<http://www.living-e.de/en/products/webEdition/documentation.php>

For a list of the available documentation, see "The webEdition customer documentation suite" on page 11.

1.2 Installation and upgrade overview

Table 1 outlines the procedures discussed in this guide. Select the procedure that suites your current situation.

Table 1 Installation and upgrade paths

If you are	..and you wish to	go to
new to webEdition	install Version 5.0 for the first time	Procedure 1, "Installation with the webEdition installer" on page 25
upgrading from Version 4.1.1.9	install Version 5.0. for the first time	Procedure 3, "Updating webEdition" on page 36
upgrading from Version 4.x	install Version 5.0 for the first time	you first have to update to 4.1.1.9
upgrading from Version 3.x	install Version 5.0 for the first time	you first have to update to 4.1.1.9
currently using Version 5.0	backup and restore version 5.0	Procedure 4, "Backing up your database" on page 41

Table 1 Installation and upgrade paths

If you are	..and you wish to	go to
currently using Version 5.0	move your files to another ISP or database server	Procedure 4, "Backing up your database" on page 41 and after that to Procedure 6, "Rebuilding your web pages" on page 45
currently using Version 5.0	install webEdition modules	Section 3.4.3, "Installation of modules" on page 37

1.3 What's next

The remaining chapters of this document are intended to assist you in the following processes:

- installation
- upgrade
- backup and restore
- rebuilding webEdition pages

2 Getting started

2.1 What does the webEdition software package contain?

The webEdition software contains the following components:

- webEdition Installer Programme
- Manual
- License Agreement

2.2 Getting started

2.2.1 Compatible operating systems and browsers

You operate the webEdition content management system using your computer and your browser.

Below is the list of compatible operating systems and the browsers that you can use to operate webEdition:

- Microsoft Windows 95/98/Me/NT4/2000/XP/2003 Server:
 - Microsoft Internet Explorer (version 4.0 or higher)
 - Netscape Navigator (version 4.0 or higher)
 - Mozilla from version 1 (WYSIWYG from version 1.3)
- MacOS 9
 - Mozilla 1.3 (Download at webEdition.biz)
- MacOS X
 - Mozilla ab version 1 (WYSIWYG from version 1.3)
 - Safari (version 1.1 or higher)
 - Netscape Navigator (version 4.0 or higher)
- Linux
 - Mozilla ab version 1 (WYSIWYG from version 1.3)
 - Netscape Navigator (version 4.0 or higher)

- FreeBSD 4.8+
 - Mozilla 1.4
- OpenBSD
 - Mozilla 1.3
- AIX 4.3.3+
 - Mozilla 1.3
- Open VMS
 - Mozilla 1.3
- HP-UX 10.20+
 - Mozilla 1.3
- Solaris 2.6+/7.0+/8.0+/9.0+
 - Mozilla 1.3
- Solaris x86 9.0+
 - Mozilla 1.4
- OS/2
 - Mozilla 1.3
- Tru64 Unix (OSF 5.0)
 - Mozilla 1.3
- BeOS
 - Mozilla 1.2

We cannot guarantee the functioning of webEdition with other browsers.

2.2.1.1 Browser requirements for WYSIWYG editing

If you wish to use webEdition's what-you-see-is-what-you-get (WYSIWYG) text-editing feature, you must use one of the following browsers.

- Microsoft Internet Explorer, version 5.5 or higher
- Mozilla Browser (version 1.3 or higher)

2.2.1.2 Limitations

The following limitations can occur if you use Netscape Navigator to programme your web site with layers (DHTML):

- WebEdition *Edit* window is not visible.
 - The problem occurs only with Netscape 4.X. (The application functions properly with Netscape 6.)
 - The problem also occurs if the layer appears directly after the <body>-tag. If the layers appear further down (before the closing </body-tag>), the *Edit* window functions normally.
 - The problem always occurs if an entry field (<we:input...>) appears within a layer (and also if these layers appear further down on the page). In these cases the *Edit* window is not visible.
- Graphics with the use of the Apple Macintosh operating systems
 - Because of the smaller memory allocation for the browser, problems with graphics can occur such that the Explorer Menu is available, but not visible. Action: Perform a reload or increase the memory allocation for the browser.
- living-e AG cannot guarantee the operation of webEdition with Netscape 4.78.

2.3 Installation requirements

In order to install webEdition on a web server, you have to meet the following installation requirements:

- PC (min. Windows 95) or Mac (OS 9.x or OS X) for installation with the Installer Programme. Manual installation is possible with all systems, including Linux.

Note: If you work with a Linux PC, or if the Installer Programme fails to function on your system, you can also install webEdition using your browser. Download the Windows version of the Installer Program and unzip the files. Go to the "files" directory, and copy the "weinstall" directory in binary mode to the root-directory of your web server. This is the directory which contains your files and your index.html file. Enter the following setup script into your browser: <http://www.yourdomain.com/weinstall/setup.php>. If your webserver does not recognize .php as a PHP4 setting, you can complete the process using setup.php4 or setup.phtml. Thereafter, follow the on-screen instructions.

- Installation CD-ROM or download version of webEdition
- Access to an FTP server, PHP4, and an MySQL database (either local, or from a service provider. With local installation, the domain name is "localhost")

Note: At present we only guarantee 100% functionality starting from PHP 4.0.6. The configuration variable "register_globals" has to be set to "On". This was the standard setting in all versions prior to PHP 4.2. If you use PHP 4.2 you have to set this in the php.ini file (register_globals = On;). Likewise, the configuration variable "allow_url_fopen" has to be set to "On". To our knowledge most of the ISPs offer these as standard settings. Furthermore, the ISP has to allow PHP-Scripts as executables in any directory; not just within a specific directory (e.g. cgi-bin).

- Your own domain (www.domainname.com) or IP-address. A local installation via "localhost" is also possible.

Note: webEdition cannot be installed into a subdirectory

- The web Server (Apache or IIS) needs to have write-access permissions to the root directory.

Note: The root directory is the directory which holds the index.html (and/or default.htm). In order to be able to install and use webEdition the web server has to have the write permission into the root directory. Many ISPs separate the FTP user and the web server in separate accounts (2 different users). Usually the root directory belongs to the FTP account. In that case the web server may not be able to write into the root directory, unless it has the necessary permissions (chmod 777). If so it is important to disable the "safe_mode" of PHP during the installation of webEdition. If you do not know how to change these settings please contact your ISP or system administrator.

- You require 20 MB hard disc space; the same amount of hard disc space is required for the MySQL database.
- Internet access during registration and installation.

Note: If you are not able to install webEdition because your system is protected by a firewall or in a private network, please contact us. We have a special webEdition installer ("Firewallinstaller") available.

ATTENTION

Users of Windows MySQL Servers: If the MySQL server prohibits the "FLUSH TABLES" function, and PHP cannot run as a CGI-Version, an error occurs while changing classes (in the Database/Object Module), and while importing a backup file with user data (an import without user data functions properly). If a MySQL server is run on UNIX, there is no problem, even if the web server is running on Windows. We are aware of this problem, and we shall find a solution as soon as possible.

2.4 Pre-installation checklist

Here are the things you must have at hand before beginning installation:

1. The webEdition installer (available at <http://www.living-e.de/en/webEdition/download/download.php>).
2. A little time, since the installation may take between 8 and 20 minutes, depending on the speed of your Internet connection.
3. Documentation from your service provider. You require information about the server and the software running on it.
4. Your webEdition serial number (to register the full version of webEdition).

5. A little imagination, since the names given to databases, passwords, etc. differ greatly from provider to provider. Here is a brief summary of the names used by the major providers:

webEdition	Service providers
Password	password, pw, db_password (for databases)
User name	user name, user, db_user (for databases)
Server	host, db_host (for databases)

6. If you wish to use the thumbnail graphics function in webEdition, make sure that your hosting provider has included the gd library in their PHP package.

3 Installing webEdition

This chapter treats the following topics:

- "Installation overview"
- "What will be installed?"
- "Installing webEdition on your web server"
- "Registration/Installation of updates and modules"
- "Starting webEdition"
- "Selecting your language"
- "Getting help"



CAUTION

Read this chapter before you install webEdition on your server.

3.1 Installation overview

Unlike software applications you use every day on your computer, webEdition is to be installed on a server, not on your computer. Your computer is merely the agent you use to install webEdition on your provider's server. The server comprises the domain you wish to manage using the webEdition system. After installation, webEdition is easily managed using your Web browser.

You will require a connection to the Internet. You must be able to establish a connection first to the download server, and secondly to the server on which you will install webEdition.

The installation process comprises the following general steps Figure 1, "Software installation overview" on page 3-24:


1. The basic installation, which involves only the Demo-version.

To perform the process you must download the webEdition Installer. You can download the webEdition Installer from our website at <http://www.living-e.de/en/products/webEdition/download/download.php>.

2. Registration and module installation.

3. FTP of files to your web server
4. Administration of your website using your browser.

Figure 1 Software installation overview



3.2 What will be installed?

The following new directories will be created in the root directory of your web server:

- /we_demo
- /webEdition

Note: The directory /we_demo contains the example files for webEdition and can be deleted after installation if, for example, the space on the server is needed.

3.3 Installing webEdition on your web server

There are two ways to install webEdition on your web server:

- use the webEdition Installer (see Section 3.3.1 on page 3-24)
- install webEdition manually (see Section 3.3.2 on page 3-32)

3.3.1 Installation with the webEdition Installer

For those re-installing webEdition, please read the following precautionary message:



CAUTION

Database warning

With each new installation of webEdition, all previous installations and the contents of the database will be completely deleted and over-written. If you have made changes to the source code, you should safeguard these changes prior to installation.


Procedure 1 Installation with the webEdition installer

On your local computer


- 1 Insert CD or open the download folder.
- 2 Double-click the installer logo.

The Start screen of the Installer appears. See Figure 2.

Figure 2 Installer start screen



- 3 Select *webEdition* as Application to be installed and click the *Next* Button
The license agreement screen opens (see Figure 7).
- 4 Now, select your extension for PHP scripts. This should usually be `.php`, so you can keep the default setting
- 5 Enter the domain name in which webEdition is to be installed.

Figure 3 Entering a domain name

The screenshot shows the 'living-e AG Installer' window. On the left, a 'Welcome' sidebar lists steps: Greeting, PHP Extension, Enter Domain (highlighted with a right arrow), FTP Data, Upload Files, and Online Installation. The main area is titled 'Enter Domain' and contains instructions to enter the domain name, an example 'www.yourdomain.com', and a checkbox for 'Use secure HTTPS connection' which is currently unchecked. At the bottom are '< Back', 'Next >', and 'Cancel' buttons. The living-e logo is in the bottom left.

- 6 Enter the FTP access data that you have received from your service provider.

Remember that for many providers, the access to the server (Host) can be something other than the normal domain name (for example, ftp.yourdomain.com instead of www.yourdomain.com). See Figure 4


Figure 4 Entering FTP access parameters

The screenshot shows the 'living-e AG Installer' window at the 'FTP Access Parameters' step. The 'Welcome' sidebar now highlights 'FTP Data' with a right arrow. The main area is titled 'FTP Access Parameters' and contains instructions to enter FTP access parameters. It includes four input fields: 'Server (Host)' with '192.168.0.114', 'Username' with 'admin', 'Password' with '*****', and 'Path' with 'webedition'. At the bottom are '< Back', 'Next >', and 'Cancel' buttons. The living-e logo is in the bottom left.

The file OnlineInstaller.php is uploaded and the installation will now continue in your default browser

- 7 You may now select a different installation language. Click next and accept the *Online Installation notes*
- 8 You may now enter the proxy server settings, if your server accesses the internet via a proxy server.

Figure 5 Proxy Server settings




The screenshot shows the 'living-e AG Installer' window. On the left, a 'Welcome' sidebar lists steps: 'Choose language' (checked), 'Notes' (checked), 'Proxy server' (selected with a right arrow), 'Connection check', 'Session & cookies test', 'Download installer', and 'Preparing components'. The main area is titled 'Proxy server' and contains the text: 'If you need a proxy for the internet connection you could enter your data here.' Below this is a checkbox labeled 'Use the following proxy' which is unchecked. Underneath are four input fields labeled 'Host:', 'Port:', 'Username:', and 'Password:'. At the bottom left is the 'livinge' logo with the tagline 'one step ahead'. At the bottom are three buttons: 'back', 'next', and 'print'.

- 9 After clicking *Next*, the connection of your server will be checked. If your server is able to connect to the living-e server, the installation will proceed with a check of your cookie and session settings. If the test are positive, proceed by clicking *next*

The necessary files will now be copied to your server - the window will change to blue

Figure 6 File transfer




The screenshot shows the 'living-e AG Installer' window during the file transfer phase. The left sidebar shows: 'Welcome', 'Download installer' (selected with a right arrow), 'Determine files' (checked), 'Download files' (checked), 'Prepare files' (checked), 'Copy files' (selected with a right arrow), 'Configure installer', and 'Preparing components'. The main area displays a list of files being copied, including 'ChooseLanguage.class.php', 'ChooseModules.class.php', 'ChooseSnippets.class.php', 'ChooseVersion.class.php', 'SerialNumber.class.php', 'steps.inc.php', 'CleanUp.class.php', 'InstallationFinished.class.php', 'steps.inc.php', 'Database.class.php', 'DatabasePermissions.class.php', 'DocumentRoot.class.php', 'InstallationDirectory.class.php', 'LicenceAgreement.class.php', 'Login.class.php', 'SystemRequirements.class.php', 'steps.inc.php', 'Summary.class.php', 'steps.inc.php', and 'wizards.inc.php'. Below the list, it says '38 of 38 Files prepared.' and 'Copy installer files'. At the bottom, there is a progress bar showing 72% completion, a 'back' button, a 'next' button, and a circular arrow icon.

- 10 Read the License Agreement.
- 11 Check the box beside the statement *General license conditions accepted* to accept the license agreement, and click on *next*.

Note: If you do not accept the agreement, you will not be able to install webEdition.

Figure 7 License agreement



- 12 For many servers the DOCUMENT_ROOT must now be entered. The DOCUMENT_ROOT is the Root directory in which one finds the index.html file and all other directories needed for your Internet presence. The installer automatically recognizes whether the DOCUMENT_ROOT has been supplied by the server, and displays it in blue script. If the system displays the correct path (and generally it does), you do not have to enter anything. If however, the server has returned no DOCUMENT_ROOT, the correct path must be entered in the provided field. In this case the installer searches to find the path for you, and it then writes this automatically in the input field.

Click *Next* to continue.

Figure 8 Entering the DOCUMENT_ROOT

13 After clicking next, the system requirements (namely PHP version and write permissions) are checked.

14 Now enter your MySQL access data. Normally, these details are available from your web service provider.

You can now enter a table prefix for your webEdition installation, thus making it possible to install multiple webEdition licenses on one database server.

Click on *Next* to continue.

Figure 9 Entering your MySQL access data

- 15 If you have already installed webEdition on this server (that is, if a webEdition directory already exists), the following message appears:

Figure 10 Installation notification

Check database permissions

webEdition is already installed on your database server.
To use several webEdition on a single database server,
you can use a table prefix. If you want to use a table
prefix go back to database settings and enter the prefix
you want to use.

If you continue, the tables (and containing data) of your
old webEdition will be deleted. Do you want to continue
with the installation?

☐ Continue and overwrite old data

Collation

default value of the MySQL server

- 16 Enter now your username and password for login in the corresponding fields.

Figure 11 Enter username and password

webEdition Installer

Welcome
Download installer
Settings
 ✓ Licence agreement
 ✓ DOCUMENT_ROOT
 ✓ System requirements
 ✓ Installation directory
 ✓ Database
 ✓ Database permissions
 → **Login**
 Choose features
 Summary
 Install application
 Finish installation

Login

Enter your webEdition access data here. This information
allows you to log into your installed webEdition.

Username: [?]

Password: [?]

Confirm password: [?]

back next print

Note: The user you have entered here is automatically the administrator.

Click *Next* You can now select additional languages and which version to install

If you have a serial number of webEdition, you can enter it now or later from within the system

The system installs the database and the required files. You can watch the progress in the blue progress bar.


Figure 12 Installation progress

Installation of webEdition

Writing database (Step 5 of 7)

Upon completion of the installation, the following screen appears:


Figure 13 Installation complete message



- 17** The installation is now completed. You will always find the login screen for webEdition under the following URL: <http://www.yourdomain.com/webEdition> (or <http://www.yourdomain.com/webEdition/index.php> with the final file extension .php4 or .phtml).

Note: Please note the uppercase “E” in webEdition.

Figure 14 The webEdition log in screen



- 18** Congratulations! You have successfully completed the installation procedure.

3.3.2 Manual installation process

For those re-installing webEdition, please read the following precautionary message:

**CAUTION****Risk of losing data**

With each new installation of webEdition, all previous installations and the contents of the database will be completely deleted and over-written. If you have made changes to the source code, you should safeguard these changes prior to installation.

Procedure 2 Manual installation

On your local computer

- 1 Use an FTP programme to transfer the file *OnlineInstaller.php* from the FTP installation directory into the root directory of your web server.


The root directory is the directory in which the index.html and all of your webpages/directories are stored.

ATTENTION


Make sure that the files are transferred in binary mode (regardless of the file extension). A file transfer using text mode can result in errors.

- 2 Enter the setup script in your browser using the following URL:
<http://www.yourdomain.com/OnlineInstaller.php>
If your server does not recognize the .php extension you can also enter setup.php4 or setup.shtml.
- 3 If you install webEdition on a server on which a version of webEdition already exists, you will see the following screen (in contrast to what is depicted above in the automated procedure in Figure 10, "Installation notification" on page 3-30):

Figure 15 Manual installation notification



- 4 Click *Next* to continue.
- 5 Read the License Agreement. Check the box beside the statement *I agree to the licensing terms* to accept the license agreement, then click *Continue*.

Figure 16 Manual installation, License agreement

Note: If you do not accept the agreement, you will not be able to install webEdition.

- 6 Continue the installation as described above from Step 12 in Section 1, "Installation with the webEdition installer,".
- 7 You have completed the installation procedure.

3.4 Registration/Installation of updates and modules

3.4.1 Registration

In order to register your version of webEdition, do one of the following steps:


- *Either click on **Help** > **Register...** (See Figure 17)*

Figure 17 Registering your software



- *Or click the **Register** Button during the first log in (see Figure 18):*

Figure 18 Register during installation



The following window opens:

Figure 19 Register during first login



Figure 20 Entering your software serial number


Please enter the serial number that you received via email from your webEdition Customer Care representative. Click *next*.

The following window appears if you have purchased webEdition modules in addition to the webEdition Standard Version:

Figure 21 Selecting the webEdition modules to install

All modules purchased with your license have a checkbox beside the module name. In order to install these modules, you must activate these checkboxes. When all of the desired checkboxes have been activated, click on *next*.

By clicking the *next* button, the system begins to register webEdition and to install the selected modules.


Figure 22 Requesting a backup prior to installation

If you have already saved some data in webEdition, it is advisable that you make a backup before registering. By clicking on the *yes* button, a backup will be carried out; if you click on the *no* button, the system will take you directly to the *Information* screen.

Information about the number of installations which have been completed with your serial number and all specifications about the modules you have licensed are listed in our database and are associated with your serial number. This means that you always have to be online during an installation. If you purchase a license for an additional domain or an additional module, we add the respective element in our database. All you have to do is to be online, start the installer anew, enter your serial number and select the option you want.

3.4.2 Update

If you have already registered your version of webEdition, you will see the menu option *Update...* under the *Help* menu. (If you have not registered your version of webEdition, you will see the menu option *Register*.)

Figure 23 Update/Module installation option


If a new version of webEdition is available, an update is recommended. You can determine whether an update is required by examining the second and third part of the version number (for example, 3.0.0.1, 3.1). Updates can only be completed if the version number is higher than that which you have already installed.

Procedure 3 Updating webEdition

in the webEdition main screen

- 1 Click on the *Update...*

The following screen opens:


Figure 24 The Update/Module installation screen

- 2 In order to search for a new version of webEdition, click on the *search* button. If there is a new version, a window will open in which all available updates are indicated. Click the *next* button in this window.

Note: If you have already worked with webEdition and its update function, and have placed data in the database, it is recommended that you make a backup before the update. Should the connection be broken during the update or another error occur, your existing data can be restored from your backup files. Without a backup, you have no way of reproducing the current state of your work.

The update process starts

- 3 After the completion of the update process, the following window appears:

Figure 25 The webEdition information screen: update completed

- 4 Click the *OK* button at the bottom of the window. Thereupon, webEdition will shut down. Please log in once again.
- 5 The update process is finished.

ATTENTION


If, after an update, your pages do not function properly, perform a rebuild on all of your pages, including templates.

3.4.3 Installation of modules

If you have already installed and registered webEdition, and if at a later date you purchase modules, you must likewise install the modules using the *Live Update* tool. To install modules, you click *Modules > Module Installation* in the *Modules* menu.

Figure 26 The module installation menu

The module installation window opens. All modules appear in a list in the *Module* installation window. There is a checkbox beside each module name. Activate the checkboxes beside the modules that you would like to install and then click *next*.

Figure 27 Module Installation Window

The module installation process from this point follows the same steps as the *Update* process.

ATTENTION


If the registration, update, or module installation process is interrupted for any reason, begin the process again. The system will remember the status of the update.

3.4.3.1 Editor-Plugin

The installation of the Editor-Plugin will be described in a separate document because the Editor-Plugin cannot be installed using the webEdition Installer. For further details, see the README.pdf document accompanying the Editor-Plugin module.

3.4.4 Using a proxy server

If your web server requires a proxy server to create a connection to the Internet (as in the case of a corporate network, or intranet for example), select *Options > Preferences > Proxy Server*. The *Proxy server* settings screen opens, in which you can enter the necessary data.

Figure 28 Proxy server settings


The dialog box is titled "Proxy server". It contains a checkbox labeled "Use proxy server for Live-Update" which is currently unchecked. Below this, there are four text input fields labeled "Address", "Port", "User name", and "Password", each with a corresponding empty text box to its right.

3.5 Starting webEdition

To access your website in webEdition, enter the following URL (where *yourdomain* is the name you selected during the installation process):
<http://www.yourdomain.com/webEdition>.


Note: Please note that there is an uppercase "E" in webEdition.

Enter the user name and password that you created during the installation process.

On the left, you will see the explorer menu in its usual location. If you look in the `we_demo` directory, you will find our sample Web site. This site will help you to understand how webEdition works. All the examples in this manual are based on our sample website.

3.6 Selecting your language

Choose *Options > Preferences...* or *Preferences* from the Quickstart menu and choose your language under the *user interface* tab.

Figure 29 Selecting your language


The dialog box is titled "User interface". It has several sections:

- Language:** A dropdown menu showing "English" (highlighted in blue), with "Deutsch" visible below it.
- seeMode:** A checkbox labeled "Deactivate seeMode" which is unchecked. Below it, a text field contains "/we_demo/access" and a "Select" button.
- Treemenu:** An information icon with a text box stating: "This value defines the maximum number of items being displayed in the left navigation." Below this, a dropdown menu shows the value "20".
- Window dimension:** Two radio buttons: "Maximize" (selected) and "Specify". Below "Specify" are text fields for "Width:" and "Height:". At the bottom of this section is an "Apply current dimension" button.
- Show predefined dimensions:** A checkbox at the bottom left, currently unchecked.

Select your desired language.

Save your preferences. After saving your preferences, the webEdition display changes to the language you selected.

3.7 Getting help

Having problems? Consult our support forum and our frequently asked questions (FAQs) page at <http://www.living-e.de/en/support/index.php> or. If you still cannot find the answer, complete the support form that is available on our website. Please remember to include your telephone number so that we can contact you.

4 Backup, recover and rebuild

The following chapter treats the backup, recover and rebuild processes, which are designed to protect the contents of your database. We strongly recommend that you read and follow these procedures.

Use these processes when you are

- upgrading your webEdition software
- performing routine maintenance
- moving your web site to another ISP
- for the safety of your data

4.1 Backup functions

Backup functions are divided into two parts:

- *Create Backup....* Use this function to save the contents of your existing data either on your local hard disc or on your web server
- *Recover Backup....* Use this function to recover your backup files to webEdition

The webEdition CMS offers you a wizard that will guide you through each process.

4.1.1 Using the *Create Backup* function

Use the following procedure to save your existing data in a backup file.

Procedure 4 Backing up your database

On the webEdition main page

- 1 Open the *Backup Wizard* by clicking on *File > Backup > Create Backup....*
The Backup Export Wizard opens.

Figure 30 The Backup Export Wizard

Step 1 of 2 - Export parameters

i Here you can give a name to the target backup file and to enable compression. The file will be compressed by using gzip compression and resulting file will have .gz extension. This option could take some time!
If the backup was not successful, please try to change the settings.

File name:

☒ Compress

i Specify the directory where you want to save the backup file.

☒ On server

☐ On local hard disk

i Select the data that should be saved.

Backup options

i All documents and templates.

☒ Save documents and templates

i Objects and classes from the DB/Object module.

☒ Save object and classes

- 2 Specify where the backup file is to be stored. You can choose to save your file on your local computer, on the server, or in both locations.

- a If you select *On server* checkbox, the file will be saved on the server in the `/webEdition/we_backup` directory.
- b If you select *On the local hard disk*, a file download manager opens. Select *Save files on my computer* and then identify the location on the hard disk to which the backup file will be sent.

*The system generates a filename for the backup. The file name will appear as `weBackup_timestamp.xml`, where *timestamp* is generated by your server.*

Note: You can, of course, specify a filename. Activate the checkbox *Compress* to compress the backup file with gzip. This will take a little more time for the backup process but reduces the required space.

- 3 Select which files you wish to backup. Choose from the following options:
 - a *Save document and templates* saves your webEdition templates and documents.
 - b *Save binary data* saves images, pdf files and such.
 - c *Save settings* creates a backup of your preferences, but also, if installed, of your settings from the user management module.
 - d *Save temporary data* saves unpublished documents and objects.
 - e *Save extern file/ folders* saves files which were not produced with webEdition.
 - f *Create log* the log will be saved in `/webEdition/we_backup/tmp/lastlog.php`
 - g If you wish to backup data from your installed modules, select the checkboxes that correspond to the modules you wish to back up.

Note 1: Because modules often share data in the database, webEdition will automatically back up associated modules. If, for example, you activate the checkbox for the Shop, webEdition will automatically activate its related module, Customer Management. Such is also the case for the Workflow and User Management modules, the Newsletter and the Customer data module, and the Task/Messaging and User Management modules.

Note 2: Only modules that are installed on your system will be visible in this list.

- 4 Click on the *Backup* button

The backup process starts. The process can last several minutes depending on the speed of your internet connection.

- 5 When the backup is completed, the system informs you that the operation was successful.
 - a If you choose to save the backup to your local drive, you will have to enter the location for the backup file to be stored.
- 6 Close the Backup wizard. You have completed this procedure.

4.1.2 Using the Recover function


The "Recover Wizard" will help you to restore your system from your backup file.

Procedure 5 Recovering your backup files

On the webEdition main page

- 1 Open the *Recover Wizard* by clicking on *Edit > Backup > Recover Backup...*
The Recover Wizard opens.

Figure 31 The Recover Wizard




- 2 The system asks whether you wish to save your existing files before you restore the backup files.

If	Do
you click on "yes"	the "Create Backup Wizard" opens. (Follow the procedure as described in Procedure 4).
you click on "no"	continue with Step 3.

- 3 Choose the source for the import process. Indicate here whether your previously backed-up files are to be imported from the server or from your local hard disk, then click the *next* button.

If you select *Import data from the server*, go to Step 4. If you select *import from local file* go to Step 5.

Figure 32 Recover backup process

- 4 Indicate which files are to be imported. If you have selected *Import data* from the server, then all files that are found in the `/webEdition/we_backup` directory will be shown in the select box. If you cannot see the backup files that you have imported, select the *Show all files* checkbox.
 - a If you wish to recover files which were not produced with webEdition, select the *Recover webEdition external files and folders* checkbox.
 - b If you wish to recover data from your installed modules, select the checkboxes that correspond to the modules you wish to back up.

Note 1: Because modules often share data in the database, webEdition will automatically back up associated modules. If, for example, you activate the checkbox for the Shop, webEdition will automatically activate its related module, Customer Management. Such is also the case for the Workflow and User Management modules, the Newsletter and the Customer data module, and the Task/Messaging and User Management modules.

Note 2: Only modules that are installed on your system will be visible in this list.

- c If you wish to restore temporary data, that is, data which has been saved but not published, activate the *Recover temporary data* checkbox.
- d If you choose Import preferences, the preferences (see Edit > Preferences) for the import of the backup files will be the same as those that were exported with the backup files.
- e If you select *Recover user data*, the user data will be recovered.

**CAUTION****Risk of lock out**

Your old user data will be overwritten. If you do not know the user data (username and password) from the files to be imported, you will have no way of logging yourself into webEdition.

- f If you activate the *Automatic rebuild* checkbox, the rebuild process begins automatically after the import.

The rebuild process overwrites the files on the web server.

- 5 If you have selected *Import saved files* from local hard disk you have the option of uploading a backup file to the server.

Note: Important: Each provider sets a time limit for PHP scripts (for example Puretec is set to 8 seconds; Strato is set to 30 seconds). After this time the script will be stopped and it will not be completed any further. If the upload of the backup file requires a longer time than this time span, the import feature will not function in this instance. Copy the backup files into the `/webEdition/we_backup` directory and choose *Import data from the server* (as in Step 2).

- 6 Click on the *Recover* button

The recover process starts. The process can last several minutes depending on the speed of your internet connection.

- 7 When the recover process is completed, the system inform you that the operation was successful.
- 8 Close the Recover wizard. You have completed this procedure.

Note: You must now rebuild your website. To do so, go to Procedure 6.

4.2 Rebuilding your web pages

4.2.1 What is the rebuild feature?

After updating your webEdition software, or after making substantial changes to a static web page, you must synchronize the content of your database with the content of the directories on your web server. When you use the rebuild feature, the new contents or new features in the webEdition interface will be regenerated and then made visible to visitors to your site. You can regenerate either your entire website or only sections of it.

4.2.2 When to use the rebuild feature

Use the rebuild feature in the following circumstances:

- if you have updated your webEdition software and you wish to make available the contents that you have saved using the backup procedure of your previous version
- if a document changes that you have included in many static pages using the `we:include` tag
- if there has been a change made to the name or path of a page linked to a template using the `we:a` or the `we:url` tag
- if you have manually deleted or changed a page or directory by accident and you wish to restore your page.

Note: After updating from webEdition 3.x to 4.0 you have to perform a rebuild.

4.2.3 How to use the rebuild feature

Procedure 6 Rebuilding your web pages

In the webEdition main screen

- 1 Select the *File > Rebuild...* command from the main menu.
The Rebuild page opens.

Figure 33 Rebuilding a page

Rebuild

☒ **Documents and templates**
With this option the documents and templates saved in the data base will be written to the file system.

☐ **Objects**
Choose this option to rewrite the object tables. This is only necessary if the object tables are incorrect.

☐ **Index-table**
If in search some documents can not be found or are being found several times, you can rewrite the index table thus the search index here.

☐ **Generate thumbnails**
Here you can rewrite the thumbnails of your graphics.

2 In the *Rebuild* page, specify which type of files you would like to rebuild.

- *Documents*: The documents are re-written into the filesystem. This is e.g. necessary after templates have been changed if the option *automatic rebuild* was not activated. Proceed with Step 3
- *Index-table*: If some documents are found twice or not at all during a query after having performed changes to the site, the index-table has to be re-written. This rebuild function will be performed immediately. Proceed to Step 5
- *Generate thumbnails*: Re-writes your thumbnails, e.g. after having changed the size or quality.

3 After having selected *Documents* in the *Rebuild* window, the following window opens (see Figure 34):

Figure 34 Documents Rebuild

Rebuild - documents

☒ **All documents and templates**
With this option all documents and templates will be rewritten.

☐ Resave main table
☐ Resave temporary table

☐ **All templates**
With this option all templates will be rewritten.

☐ **Static webEdition pages**
Here you can specify which static webEdition pages should be rewritten. If you don't select a criteria all static webEdition pages will be rewritten.

Categories
☐ AND concatenation
 Delete all Add

Document types
 accessible - Article
 blog - Entry
 CurrentNews
 guestbook - Entry
 GuestbookEntry
 ↑ ↓

Directories
Delete all Add

Select *all documents and templates* to re-write all documents and templates. This is necessary after a recovery.

Two further sub steps are available to administrators:

- a *Resave main table*

b *Resave temporary table***CAUTION****Risk of loss of data**

Do not forget to activate Save templates in advance. If *Resave temporary documents* is activated, the documents that were not yet published but which were changed will be rewritten on the basis of the published documents. All changes which you made between saving and publishing will be lost. If *Resave main database-table* has been activated, the main table of the database will be rewritten.

**CAUTION****Risk of loss of data**

If, during the write-process, the server fails or the action is interrupted because of a timeout, your data will be lost. Therefore, this option should only be selected in an emergency.

c Select *All objects* to resave your object tables.

Note: This option is only available if the Database/Object Module is installed.

- d Select *Static documents* to rewrite all static documents. If you use the `we:include` tag with static web documents, you must rebuild your site for these pages to be visible.
- e You can refine your rebuilding process by choosing categories to be re-written.

Note: if you wish to change a published document from the static to the dynamic state (and vice versa), you must park the page, change it and republish it.

- 4 If you chose *Generate thumbnails*, a window opens, where you can select the size of your thumbnails (see Figure 35.)

Figure 35 Rebuilding thumbnails



- 5 Click **OK**
The rebuild starts

Figure 36 Rebuild progress



After completeing the rebuild, the following message appears

Figure 37 Rebuild finished



6 Click *Ok*

The rebuild process is finished

Index

A

audience 11
audience profile 11

B

Backup
 create 41
 procedures 41
 recover backup 41
Browser
 compatible 17

C

Customer service 14

I

Installation
 Editor Plug-in 38
 installer programme 20
 manual 24, 32
 of demo-version 23
 of modules 23
 overview 23
 pre-installation checklist 20
 requirements 19
 with installer 24
Installation of modules 37

L

limitations
 with Netscape Navigator 19

P

Precautionary messages
 about 12
 Attention boxes 12
 Caution boxes 13
proxy server
 using 38

R

Rebuild
 about 45
 performing 45
 when to use 45
Recover
 wizard 43
reference documentation 12
Registering your software 34

T

Typographical conventions 13

U

Updating your software 36

W

we:tags
 attribute values 13
webEdition
 documentation suite 11
 language selection 39
 on-line documentation 12
 starting 39
 we:tags 13
webEdition documentation
 Customer documentation suite 11
 on the World Wide Web 12
 version and issue 14

webEdition installation, update and backup

User Guide

Standard 5.0.1

June 2007

Printed in Germany

© 2007 living-e AG

All rights reserved.

living-e AG

International contact

Internet: <http://www.living-e.de>

E-mail: info@living-e.de

North American contact

Internet: <http://www.webedition-cms.com>

E-mail: info@webedition-cms.com